

## SEQUENCE LISTING

10/577791  
IAP17 Rec'd PCT/PTO 28 APR 2006

<110> YOKOTA, Hiroshi  
KIKUYA, Eiko

<120> Dose-Dependent Promoter Originating in Humans

<130> 3190-094

<140> US Unassigned

<141> 2006-04-28

<150> PCT/JP2004/016100

<151> 2004-10-29

<150> JP P2003-371004

<151> 2003-10-30

<160> 14

<170> PotentIn version 3.1

<210> 1

<211> 36

<212> DNA

<213> Artificial

<220>

<223> DNA that can be used as an initiator/promoter

<400> 1

ttcgggagag gcggagctct cttccgagga ccattc

36

<210> 2

<211> 33

<212> DNA

<213> Artificial

BEST AVAILABLE COPY

<220>

<223> DNA that can enhance the initiator/promoter activity of the DNA  
of SEQ ID NO:1 when being ligated to the 5' end of the same

<400> 2

ttcgggaagag gcggagtcct ctccgagga cca 33

<210> 3

<211> 69

<212> DNA

<213> Artificial

<220>

<223> DNA that can be used as an initiator/promoter

<400> 3

ttcgggaagag gcggagtcct ctccgagga ccattcggaa gaggcggagt ctcttccga 60

ggaccattc 69

<210> 4

<211> 102

<212> DNA

<213> Artificial

<220>

<223> DNA that can be used as an initiator/promoter

<400> 4

ttcgggaagag gcggagtcct ctccgagga ccattcggaa gaggcggagt ctcttccga 60

ggaccattcg gaagaggcgg agctctctc cgaggacct tc 102

<210> 5

<211> 135  
 <212> DNA  
 <213> Artificial

<220>  
 <223> DNA that can be used as an initiator/promoter

<400> 5  
 ttcggaagag gcggagctt ctccgagga ccattcgga gaggcggagt ctcttccga 60  
 ggaccattcg gaagaggcgg agtcttcttc cgaggacct tcggaagagg cggagcttc 120  
 ttccgaggac cttc 135

<210> 6  
 <211> 267  
 <212> DNA  
 <213> Artificial

<220>  
 <223> DNA that can be used as an initiator/promoter

<400> 6  
 ttcggaagag gcggagctt ctccgagga ccattcgga gaggcggagt ctcttccga 60  
 ggaccattcg gaagaggcgg agtcttcttc cgaggacct tcggaagagg cggagcttc 120  
 ttccgaggac cttcggaag aggcggagtc ttcttccgag gaccattcgg aagaggcggg 180  
 gtcttcttc gaggacctt cggaagaggc ggagcttct tccgaggacc attcggaaga 240  
 ggcggagct tcttccgagg accttc 267

<210> 7  
 <211> 33  
 <212> DNA

<213> Artificial

<220>

<223> DNA that forms a double-stranded DNA with the DNA of SEQ ID NO:2

<400> 7

gaatggctct cggaagaaga ctccgcctct tcc 33

<210> 8

<211> 26

<212> DNA

<213> Artificial

<220>

<223> DNA that can be used as a primer

<400> 8

cgacgcgttt cggaagaggc ggagtc 26

<210> 9

<211> 29

<212> DNA

<213> Artificial

<220>

<223> DNA that can be used as a primer

<400> 9

ggagatctga atggctctcg gaagaagac 29

<210> 10

<211> 24

<212> DNA

<213> Artificial

<220>

<223> DNA that can be used as a primer

<400> 10

ggcagtcgat actgaaatcc aggc

24

<210> 11

<211> 24

<212> DNA

<213> Artificial

<220>

<223> DNA that can be used as a primer

<400> 11

gaatggtcct cggaagaaga ctcc

24

<210> 12

<211> 30

<212> DNA

<213> Artificial

<220>

<223> DNA that can be used as a primer

<400> 12

cgacgcgtgg cagtcgatcc tgaaatccag

30

<210> 13

<211> 348

<212> DNA

<213> homo sapiens

<220>

<221> misc\_feature

<223> Nucleotide sequence of a transcription regulatory region in the  
synaptotagmin XI gene

<400> 13

ggcagtcgat actgaatcc aggcagaca gaatttttt ttcccaaat tctggaactc 60

aggaccgaga acattttgct gctgtattaa agcccagaaa actgaatca gaggatttca 120

tataataac tacctatgct tcttaccctt cagtacttcc tcgttttggg accacagcgc 180

gtcagtgggc ggggcctcat tctcgggaaa actcggcggg gggaggagtc cctccgggga 240

gagcttctg aagggggcga gggctgactt ccgtatctt tcggaagagg cggagtcttc 300

ttccaggac catcgggaag aggcggagtc ttctccgag gaccattc 348

<210> 14

<211> 381

<212> DNA

<213> homo sapiens

<220>

<221> misc\_feature

<223> Nucleotide sequence of a transcription regulatory region in the  
synaptotagmin XI gene

<400> 14

ggcagtcgat actgaatcc aggcagaca gaatttttt ttcccaaat tctggaactc 60

aggaccgaga acattttgct gctgtattaa agcccagaaa actgaatca gaggatttca 120

tataataac tacctatgct tcttaccctt cagtacttcc tcgttttggg accacagcgc 180

gtcagtgggc ggggcctcat tctcgggaaa actcggcggg gggaggagtc cctccgggga 240

gagclicctg aagggggcga gggctgactt ccglaatcct tcggaagagg cggagicttc 300

ttccgaggac catcggag aggcggagtc ttctccgag gaccatcgg aagaggcggg 360

gtctcttc gaggaacct c 381